

LEDDriving CAP LEDCAP12



LEDDriving CAP are designed to enable the installation of the H7-LED to have an accurate fit and to protect the headlight system. These products are a replacement of the original cap to offer a qualitative system component for the legal usage.


Product datasheet

Technical data

Product information

Order reference	LEDCAP12
Application (Category and Product specific)	Accessories for LED retrofits

Dimensions & weight



Diameter	90.0 mm
Product weight	55.00 g

Capabilities

Technology	LED accessories
------------	-----------------

Country specific categorizations

Order reference	LEDCAP12
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	16-06-2023
Primary Article Identifier	4062172326070
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172326070	LEDriving CAP 12	Folding carton box 2	131 mm x 131 mm x 101 mm	1.73 dm ³	121.00 g

Product datasheet

4062172326087	LEDiving CAP 12	Shipping carton box 8	546 mm x 141 mm x 130 mm	10.01 dm ³	700.00 g
4062172326094	LEDiving CAP 12	Shipping carton box 48	556 mm x 430 mm x 270 mm	64.55 dm ³	5371.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.